ANIMAX

Proactive bolusing programmes

- 1. Dairy replacements
- 2. Lactating dairy cows & sucklers
- 3. Beef calves to finish
- 4. Commercial grazing lambs and replacement ewe lambs
- 5. Pedigree & commercial breeding ewes

Dairy replacements











Newborn calf

Drench at a few days old and continue as required

Weaned calf

Bolus at 5-8 weeks (or on hitting 75kg)

Growing heifer

Bolus at 6-8 months

Bulling heifer

Bolus at 12-14 months

In-calf heifer

Bolus at 18-20 months (or on hitting target weight)

Pardevit®

Enough trace elements and vitamins to prioritise their energy on early development.

Trace**sure**® Calf

Enough trace elements to support their immunity and DWLG after weaning.

Trace**sure**® Cattle


Enough trace elements to grow and develop a good frame readyfor bulling.

Tracesure® Cattle

Enough trace elements to prepare for reproduction and maintain condition on grass keep.

Trace**sure**® Cattle

Enough trace elements to give them the resources they need to enter the milking herd without issue. Lactating dairy cow



Beef calves to breed or finish

Pardevit*

Enough trace elements and vitamins to prioritise their energy on early development.

Tracesure* Calf

Enough trace elements to support growth and development.

Tracesure* Calf or Cattle

Enough trace elements to facilitate digestion function and DWLG.

Newborn calf

Drench at a few days old

5-12 Weeks

7-10 Months







Tracesure® Cattle

Enough trace elements for early first service and foetal development.

Tracesure® Cattle

Enough trace elements to transition smoothly and rear a strong calf.


Bulling heifer

Bolus 6 weeks pre-breeding

Springing heifer

Bolus 8 weeks pre-calving





Store cattle

Bolus every 6 months until finishing

Tracesure® Cattle

Enough trace elements to finish them sooner and to improve meat quality.

Commercial grazing lambs and replacement ewe lambs

Trace**sure*** Lamb/Cobalt

Enough trace elements to get a good DLWG on pasture with minimum feed supplementation and challenge.

Tracesure® Sheep

Enough trace elements to get them to mature bodyweight quicker so they can lamb sooner.



Newborn lamb

Drench at 7-8 days old

Pardevit®

Enough trace elements and vitamins stand up to ill-thrift, Pine, and pneumonia.



8 Month Ewe lamb

14 Month Ewe lamb

20 Month Ewe lamb 40kg+

Breeding Ewe



12-Week finisher

Drench every 2-4 weeks

Pardevit®

Enough trace elements and vitamins to support a good DLWG.



16-18 Week finisher

Bolus at 5-8 weeks

Tracesure® Lamb/Cobalt

Enough trace elements to get a good rate of DLWG.

Copasure® /Copinox®

Enough to prevent and treat any copper deficiencies.

Pedigree & commercial breeding ewes

